Owner's Handbook supplement

LAMBADA

HOLDEN

SUNROOF

Caution: Be careful when closing the sunroof that hands, heads etc are clear.

The sunroof is made up of a sun shade and a glass panel.

Glass Panel

The sunroof (glass panel) can be opened in two ways, tilted up or slid backwards.

Sliding back



To open:

Tilt the crank out of the recess and press the unlocking button.
Turn the crank anticlockwise until the sunroof has reached the comfort position (3/4 open).
The comfort position has occurred when the crank will not turn any further.
To open the sunroof beyond the comfort position press the unlocking button again and continue to turn the crank anticlockwise.

To close:

If the sunroof is fully open, turn the crank clockwise until it won't turn any further (comfort position).
To close completely, press the unlocking button and continue to turn the crank clockwise until the sunroof is closed.
The unlocking button is automatically released when the sunroof reaches the closed position.

SUNROOF cont.

Tilting up



To raise:

If the sunroof is in the slide back position, close the sunroof first before attempting to change to the tilt position. To raise the sunroof, press the unlocking button and turn the crank clockwise.

To lower:

Turn the crank anticlockwise.
The unlocking button is automatically released when the sunroof reaches the closed position.
After operating the sunroof, always push the crank back up into the recess.



SUNROOF cont.

Sunshade

The sunshade can be opened and closed with the sunroof either closed or raised.
When the sunroof is opened in slide mode, the sunshade is also opened.

Sunroof care and maintenance

Keep the sunroof gutter areas and drain openings free of dirt, dust, tree-leaves etc.
The glass should be kept clean with a moist chamois and a mild non-scratching detergent or glass cleaner.

ENGINE SPECIFICATIONS

With automatic transmission:
Power: 44 kW @ 5,200 rpm; Torque: 103 Nm @ 2,800 rpm

With manual transmission:
Power: 60 kW @ 5,800 rpm; Torque: 114 Nm @ 3,400 rpm

General-Motors Holden's
Automotive Ltd.,
A.C.N. 006 893 232

Part no. 92057824